


Using Internet Explorer Mode in Microsoft Edge

This document is provided as a tutorial and reference document for enabling and using Internet Explorer Mode in Microsoft Edge. A description from the Microsoft Edge browser:


When browsing in Microsoft Edge, if a site requires Internet Explorer for compatibility, you can choose to reload it in Internet Explorer mode

1. Open Microsoft Edge
2. Navigate to the top right corner of the browser and click on the three dots




3. This will bring up a dropdown menu. From the menu select **Settings**.






4. When you are at the **Settings** page select, **Default browser**





5. In **Default browser** there is a section for Internet Explorer compatibility. In the dropdown box for “Allow sites to be reloaded in Internet Explorer mode” switch the selection from “Default” to “Allow”




- When changing this selection there will be a prompt to restart the browser. Click **Restart**


For this setting change to take effect, restart your browser

 Restart

- Open your research site URL
- Click on the three dots in the top right corner again (image from Step 2)
- A new option should now be available in the dropdown. Click “Reload in Internet Explorer mode”



- The page will refresh and present the below dialog box



11. Click the slider toggle to open future sessions of the research site in Internet Explorer mode.
12. Sites will be added to a list to open in Internet Explorer mode for 30 days. After 30 days you'll have to follow the process again to add the site back into Internet Explorer mode.

